

PharmLabs San Diego Certificate of Analysis


Sample Stack'd - White Peach - 2 Gram Vape



Sample ID SD949748-509 (50391)				Matrix Inhalable/Vaporizer			
Tested for Hat Trick Distribution Inc							
Sampled -		Received Feb 3, 2025		Reported Feb 3, 2025			
Analyses executed KTM		Unit Mass (g) 32.69		Num. of Servings NA		Serving Size (g) NA	

KTM - Kratom

Analyzed Feb 3, 2025 | Instrument: HPLC VWD | Method: SOP-KTM
The expanded Uncertainty of the Kratom analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	10.04	100.48	NA	200.96	
Mitragynine (MITG)	0.018	0.054	0.22	2.19	NA	4.38	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciocilaine (SPCL)	0.004	0.011	ND	ND	ND	ND	

UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Thu, 18 Jul 2024 13:43:33 -0700

PharmLabs San Diego | 3421 Hancock St., Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.